



INFINITY PLANKS -A COLLECTION THAT VENTURES BEYOND BOUNDARIES

Expertly curated, Infinity Planks is an exploration of creativity and knowledge beyond the edges of the known.

A journey through boundless ideas, challenging what is possible and stretching the imagination to create a refined and comprehensive collection of Vinyl Planks.


Stand at the edge of something greater, and delve into Infinity Planks and immerse yourself in the experience of venturing beyond boundaries.






DESIGNED TO MEET THE DEMANDS OF BUSY COMMERCIAL ENVIRONMENTS

Thoughtfully created, Infinity Planks offers exceptional durability for high traffic areas, while ensuring effortless maintenance, perfectly suited for functional, long lasting architectural solutions.



WOOD

Infinity Planks offers three ranges of timber inspired planks - Wood 2.0, 2.5 and 4.5 - each thickness available in ten warm, nature inspired hues. Across fourteen varieties of wood grains from Oak, Spotted Gum and Blackbutt, each pattern offers a range of textures, from a softer more subtle appearance to a heavier deeper grained pattern.



STONE

Stone 2.5 is available in ten colourways while 4.5 features five, in beautifully grounded tones reflecting the authentic nuances formed in nature. With four unique stone patterns each offering a distinct aesthetic, the collection ensures a consistent appearance that is visually appealing.





COLOUR

A showstopping blend of fifteen colours from versatile neutrals to bold, striking hues, Colour 5.0 is the perfect choice when colour is your priority.






A story grounded in landscape, and crafted by mother earth. Born from the intricate grains, warm hues and nuanced characteristics found in timber.



EASY EVERYDAY LIVING WOOD 2.0



YANAKIE OAK / WOO72004ST20









DESIGN RETAIL SPACES THAT MAKE **A LASTING FIRST IMPRESSION** WOOD 2.5



MANOR OAK / WOO200614ST25



Silverleaves Oak
Urban Oak
Vendor Oak
Sunderland Oak
Advanced Oak

FOSTER CREATIVITY AND LEARNING IN EDUCATIONAL ENVIRONMENTS

WOOD 2.5



COWRA SPOTTED GUM / WOO523006ST25


Available Colours





Advanced Oak





BLENDING **WOOD 2.5**



FLINDERS BLACKBUTT / WOO135001ST25

Available Colours



COLLABORATION AND PRODUCTIVITY TO CREATE DYNAMIC WORKPLACES

Silverleaves Oak Urban Oak Vendor Oak Sunderland Oak Advanced Oak

BLENDING COLLABORATION AND PRODUCTIVITY TO CREATE DYNAMIC WORKPLACES

WOOD 4.5



YARRA SPOTTED GUM / WOO810095ST45

Available Colours








TYRELL OAK / WOO118105ST45



COMBINE WITH CARPET TILES FOR **ADDED FLEXIBILITY** WOOD 4.5



SUNSET OAK / WOO106407ST45 & STATIC / INFINITY / 099-007



Yarra Spotted Gum
Yering Oak
Quinn Oak
Redfern Oak
Tyrrell Oak

TIMBER GRAIN VARIATIONS IN A PALETTE OF NATURE-INSPIRED TONES

Influenced by nature, the appearance of oak is affected by varying factors such as the tree's age, growth rate and the soil and climate of the region. Infinity Planks features 14 Oak variations, each pattern available in a selection of nature inspired colours, providing the flexibility to select the grain that best suits your design vision.


Pattern One











Pattern Two



Available in:

Sunderland Oak*
Quarry Oak

Pattern Six



Available in: Cowra Spotted Gum* Pattern Seven



Pattern Nine



Waratah Spotted Gum*Yarra Spotted Gum

Pattern Eleven



Available in:

Pattern Thirteen



Available in:

Tyrell Oak*
Yalumba Oak

Pattern Eight



Available in:



Pattern Ten



Available in:



Pattern Twelve



Available in:



Pattern Fourteen



Available in:

Cotters Tasmanian Oak*



A textured narrative, with stone patterns true to nature. Inspired by the elements and moments of wonder, sculpt your space with a strong foundation.



ENHANCING HOSPITALITY SPACES WITH DURABILITY AND EFFORTLESS MAINTENANCE

STONE 2.5




POLISHED STONE / SAND / POL231606ST25

Available Colours

Polished Stone / Sand
 Dolomite Stone / Alberta
 Dolomite Stone / Noir
 Dolomite Stone / Obsidian
 Terrazzo Stone / Lipari

- Polished Stone / Natural
- Polished Stone / Downtown Grey
- Concrete Stone / Fleck
- Concrete Stone / Rhyolite
- Concrete Stone / Arkose





ENHANCING HOSPITALITY SPACES WITH DURABILITY **AND EFFORTLESS** MAINTENANCE STONE 4.5



CONCRETE STONE / SEASPRAY / CON680296ST45

Available Colours

Concrete Stone / Flint Concrete Stone / Mottled

Terrazzo Stone / Venice Concrete Stone / Seaspray Stone / Milan

BALANCING STYLE AND LONGEVITY FOR SHARED SPACES AND COMMUNAL ZONES

STONE 2.5



TERRAZZO STONE / LIPARI / TER299003ST25



- Polished Stone / Natural
- Polished Stone / Downtown Grey
- Concrete Stone / Fleck
- Concrete Stone / Rhyolite
- Concrete Stone / Arkose



STONE TEXTURES FORMED BY EARTH IN NUANCED HUES

Forged in earth, the characteristics of natural stone is as unique as a thumb print. The organic composition and minerals during formation dramatically influences the presentation of stone.

Infinity Planks offers a range of 4 differing stones, each pattern with identifying factors such as veining, ridges and accents in select tones to perfectly complement your design intent.

Concrete Stone



Available in:

Flint*	Fleck
Mottled	Rhyolite
Seaspray	Arkose


Dolomite Stone



Available in:



Terrazzo Stone




Polished Stone




Available in:










Storytelling through the interaction, combination and influence of colour continues to be one of the primary considerations in design.



CREATE AN INVITING NARRATIVE THROUGH THOUGHTFUL USE OF COLOUR

COLOUR 5.0



OLIVE / COL110ST50





SUSTAINABILITY

As one of Australia's leading sustainable flooring companies, we understand that there is a limit to the world's resources and that every decision we make has a clear consequence on future generations.





ENDURING DESIGN BEGINS WITH SUSTAINABILITY. Declare.



RESILOOP

Signature Floors is proud to be one of the leading suppliers of resilient floorcoverings who have committed to provide support for ResiLoop, as a founding member of Australia's first national stewardship scheme for resilient flooring. ResiLoop is a new product stewardship scheme focused on recycling research and development to address the challenges presented by past, current and future consumption of resilient floorcoverings in Australia. Advancing a circular economy for resilient flooring products such as sheet vinyl, Luxury Vinyl Tiles and Hybrid flooring, means not only improving how we source raw materials and manufacture these products, it's also ensuring we retain resources in productive use for as long as possible.remoulded again and again, without having to use new resources, making this a sustainable flooring choice.

CERTIFICATIONS

Infinity Planks is a GreenTag[®] GreenRate Level A certified for Green Star Projects and also contributes to points in the WELL Building Standard and Living Building Challenge. We promote material transparency with Declare Labels and EPD documentation.

CARBON NEUTRAL

Signature Floors Australia is certified carbon neutral by Climate Active, the only Australian Government backed program that supports national climate policy and voluntary climate action by Australian business. We are proud to say that we have made choices and changes in the way we do business to ensure our carbon emissions are equal to net zero.

SPECIFICATIONS



А

WOOD 2.0

SPECIFICATIONS

SPECIFICATIONS	
COLLECTION PRODUCT PRODUCT CATEGORY PLANK SIZE TOTAL THICKNESS WEAR LAYER WEAR LAYER TREATMENT INSTALLATION METHOD PLANKS PER BOX AVAILABILITY	INFINITY PLANKS WOOD 2.0 VINYL PLANK 228.6mm x 1219.2mm 2.0mm 0.3mm PU Full Stick 14 (3.90m²) In Stock
PERFORMANCE	
FIRE RATING SLIP RATING WARRANTY	10.6kW/m² P3 15 Year
CUSTOM OPTIONS	
CUSTOM SIZES CUSTOM THICKNESS MINIMUM ORDER QUANTITY	304 x 609mm 457 x 609mm 457 x 914mm 250 x 1000mm 2.5mm/4.5mm/6.0mm 50m² (4.5mm is 400m²)
INSTALLATION METHODS	Random, Herringbone
SUSTAINABILITY	GREENTAG® GREENRATE LEVEL DECLARE LABEL RESILOOP



YANAKIE OAK / WOO72004ST20

WOOD 2.5

SPECIFICATIONS	
COLLECTION	INFINITY PLANKS
PRODUCT	WOOD 2.5
PRODUCT CATEGORY	VINYL PLANK
PLANK SIZE	236.6mm x 1532mm
TOTAL THICKNESS	2.5mm
WEAR LAYER	0.55mm
WEAR LAYER TREATMENT	PU
INSTALLATION METHOD	Full Stick
PLANKS PER BOX	10 (3.62m ²)
AVAILABILITY	In Stock
PERFORMANCE	
FIRE RATING	10.9kW/m²
SLIP RATING	P3
WARRANTY	15 Year
CUSTOM OPTIONS	
CUSTOM SIZES	304 x 609mm
	457 x 609mm
	457 x 914mm
	250 x 1000mm
	228 x 1219mm
CUSTOM THICKNESS	4.5mm / 5.0mm / 6.0mm
MINIMUM ORDER QUANTITY	50m² (4.5mm is 400m²)
INSTALLATION METHODS	Random, Herringbone
SUSTAINABILITY	GREENTAG [®] GREENRATE LEVEL A
	DECLARE LABEL
	RESILOOP

SILVERLEAVES OAK / WOO200604ST25
URBAN OAK / WOO200603ST25
VENDOR OAK / WOOI06404ST25
SUNDERLAND OAK / WOO867006ST25
ADVANCED OAK / WOO200607ST25



MANOR OAK / WOO200614ST25



WOOD 4.5

SPECIFICATIONS	
COLLECTION PRODUCT PRODUCT CATEGORY PLANK SIZE TOTAL THICKNESS WEAR LAYER WEAR LAYER WEAR LAYER TREATMENT INSTALLATION METHOD PLANKS PER BOX AVAILABILITY	INFINITY PLANKS WOOD 4.5 VINYL PLANK 229 x 1524mm 4.5mm 0.55mm PU Full Stick 7 (2.44m ²) In Stock
PERFORMANCE	
FIRE RATING SLIP RATING WARRANTY	9.8kW/m² P3 15 Year
CUSTOM OPTIONS	
CUSTOM SIZES CUSTOM THICKNESS MINIMUM ORDER QUANTITY	304 x 609mm 457 x 609mm 457 x 914mm 250 x 1000mm 228 x 1219mm 2.5mm / 5.0mm / 6.0mm 50m ²
INSTALLATION METHODS	Random, Herringbone
SUSTAINABILITY	GREENTAG [®] GREENRATE LEVEL / DECLARE LABEL RESILOOP



TYRRELL OAK / WOO810095ST45

POLISHED STONE / SAND / POLISHED STONE / SAND / POLISHED STONE / SAND / POLISHED STONE / ALBERTA		TERRAZZO STONE / LIPARI / T	POLISHED STONE / NATURAL	POLISHED ST. / DOWNTOWN G
STONE 2.5				
SPECIFICATIONS		542		
COLLECTION PRODUCT PRODUCT CATEGORY PLANK SIZE TOTAL THICKNESS	INFINITY PLANKS VINYL PLANK STONE 2.5 304.8 x 609.6mm 2.5mm			C
WEAR LAYER WEAR LAYER TREATMENT INSTALLATION METHOD PLANKS PER BOX AVAILABILITY	0.55mm PU Full Stick 20 (3.72m²) In Stock	1		T
PERFORMANCE				
FIRE RATING SLIP RATING WARRANTY	10.9kW/m² P3 15 Year			
CUSTOM OPTIONS				

457 x 609mm

457 x 914mm 250 x 1000mm 228 x 1219mm

229 x 1524mm

4.5mm / 6mm

Ashlar, Brick

DECLARE LABEL RESILOOP

50m² (4.5mm is 400m²)

GREENTAG[®] GREENRATE LEVEL A

CUSTOM SIZES

CUSTOM THICKNESS

SUSTAINABILITY

MINIMUM ORDER QUANTITY

INSTALLATION METHODS

25



POLISHED STONE / SAND / POL231606ST25

MW8700 CONCRETE STONE / FLINT / CON680299: CONCRETE STONE / MOTTLED / CON6802 CONCRETE STONE / SASPRAY / CON680	
STONE 4.5	

4ST45

ST45

0296ST

SPECIFICATIONS COLLECTION PRODUCT PRODUCT CATEGORY PLANK SIZE

INFINITY PLANKS VINYL PLANK STONE 4.5 304.8 x 609.6mm 4.5mm 0.55mm WEAR LAYER TREATMENT PU INSTALLATION METHOD Full Stick 12 (2.23m²) In Stock

PERFORMANCE

AVAILABILITY

PLANKS PER BOX

TOTAL THICKNESS

WEAR LAYER

FIRE RATING	7.5kW/m ²
SLIP RATING	P3
WARRANTY	15 Year

CUSTOM OPTIONS	
CUSTOM SIZES	457 x 609mm
	457 x 914mm
	250 x 1000mm
	228 x 1219mm
	229 x 1524mm
CUSTOM THICKNESS	2.5mm / 6mm
MINIMUM ORDER QUANTITY	50m² (4.5mm is 400m²)
INSTALLATION METHODS	Ashlar, Brick

SUSTAINABILITY

GREENTAG[®] GREENRATE LEVEL A DECLARE LABEL RESILOOP

Interview of the second	PEWTER / COLOIIST50	ORANGE SKY / COL024ST50	FOREST / COLI09ST50
	GUNMETAL / COL095ST50	FLAME / COL086ST50	ULTRAMARINE / COL037ST50
	MOCHA / COL018ST50	PLUM / COL085ST50	NEPTUNE / COL037ST50
	TERRACOTTA / COL054ST50	OLIVE / COL085ST50	SAPPHIRE / COL02IST50



SPECIFICATIONS

PRODUCT CATEGORY

WEAR LAYER WEAR LAYER TREATMENT

INSTALLATION METHOD

TOTAL THICKNESS

PLANKS PER BOX

AVAILABILITY

SLIP RATING

WARRANTY

CUSTOM OPTIONS

CUSTOM THICKNESS

SUSTAINABILITY

MINIMUM ORDER QUANTITY

INSTALLATION METHODS

CUSTOM SIZES

PERFORMANCE FIRE RATING

COLLECTION PRODUCT

PLANK SIZE

INFINITY PLANKS COLOUR 5.0 VINYL PLANK 250 x 1000mm 5.0mm 0.55mm PU Full Stick 8 (2m ²) In Stock				
8.8kW/m² P3 15 Year				
304 x 609mm 457 x 609mm 457 x 914mm 228 x 1219mm 236 x 1532mm 2.5mm / 6.0mm 50m² (4.5mm is 400m²)				
Random, Herringbone				
GREENTAG [®] GREENRATE LEVEL A DECLARE LABEL RESILOOP				

TERRACOTTA / COL054ST50 + VIVID202 COPPER POT 056-E42

Infinity Planks, where the endless unfolds...

signaturefloors.com.au signaturefloors.co.nz

